13 MAY - 31 JULY 2019









BATTERY CHARGER ALASKA 200 START 12-24V

TWALASKA200 (804731)

- Battery charger, starter and maintainer with electronic control of the charging current
- Automatic interruption and restart (TRONIC)
- Effective charging current 25/16 A
- Max starting current 150A
- Rated charge current 17/11 A
- Effective start current 100 A
- Min rated reference capacity 25/30Ah
- Max rated reference capacity 300/160 Ah



BATTERY CHARGER **TOURING 15 12-24V**

TWTOURING15 (804728)

- Battery charger with electronic control of the charging steps
- Automatic interruption and restart (TRONIC)
- Effective charging current 12/10 A
- Rated charge current 8/5.5 A
- Min rated reference capacity 50/30Ah
- Max rated reference capacity 115/55 Ah

WAS \$150 SAVE \$41

BATTERY CHARGER SPRINTER 4000 START 12-24V

TWSPRINTER4000 (804733)

- Battery charger and starter for charging free electrolyte batteries (WET) with 12/24V voltage
- Effective charging current 105 A
- Max Starting Current 400A
- Rated charge current 70 A
- Effective start current 300 A
- Min rated reference capacity 20Ah
- Max rated reference capacity 1000 Ah
- 15 amp plug





















































LIGHTS • KNIVES • MULTI-TOOLS





UTILITY BEAM BODYLIGHT

NOT JUST BRIGHTER...BETTER

COAHX4 (805673)

- 80 Lumens
- 13m Beam
- 2 x AAA battery included
- White or red beams
- Rotating head
- Magnetised clip
- Water Resistant IPX4

COAHX3 (805674)

- 80 Lumens
- 13 m Beam
- 2× AAA battery included
- White or UV beams
- Rotating head
- Magnetised clip
- Water Resistant IPX4

PURE BEAM AREA LIGHT **PURE BEAM TORCH**

RECHARGEABLE

COAPM500R (805671)

- Weight: 11.07 Oz. | 314g
- 700 Lumens
- 205m Beam
- 1 x Li Polymer rechargeable battery pack included
- $3 \times AA$ battery included
- Water Resistant IPX4



COASX300R (805670)

- Length: 6.9" | 17 cm Weight: 10.4 Oz. | 295 g
- 850 Lumens
- 230m Beam
- 1 × Li Polymer rechargeable battery pack included
- 4 × AAA battery included
- Water Resistant IPX4



PURE BEAM FOCUSING HEADLAMPS

VARIABLE LIGHT TECH (VLT) | TWIST FOCUS



Our largest, Ultra View Flood Beam and our Bulls-Eye Spot Beam with transition halo.

The Bulls-Eye Spot provides good viewing up to 1151 feet / 351 meters and the Ultra View Flood Beam provides a consistent circle of light up to 11 1/2 feet / 3.5 meters in diameter at a distance of 6 feet / 1.8 meters.



Part Number	Item Code	Lumens	Beam (m)	Water Resistant IPX4	Hardhat Compatible	Light	Rechargeable	Batteries Included	Price	SAVE
COAFL85	805100	615	183			High Medium Low	No	3 x AAA	\$99	\$11
COAFL85R	805672	700	200	Yes	Vaa		Yes	3 x AAA	\$159	\$51
COAHL7	805080	305	127	res	Yes		No	3 x AAA	\$ 59	\$ 6
COAHL7R	805081	240	104			High Low	Yes	3 x NiMH	\$99	\$11



LIGHTS • KNIVES • MULTI-TOOLS

HANDHELD TORCHES





Part Number	Item Code	Weight (g)	Lumens	Beam (m)	Water Resistant IPX4	Light	Rechargeable	Batteries Included	Price	SAVE
COAHP5	805055		121	112		High Low	No	1 x AA	\$ 59	\$16
COAHP5R	805340	74	185	183	Yes	High Strobe Low	Yes	1 x AA 2 x Li Polymer Rechargeable Battery Packs	\$149	\$31
COAHP7	805057	204	410	229	res	High Medium Low	No	4 x AAA	\$75	\$20
COAHP7R	805058	204	300	352		High Strobe Low	Yes	4 x AAA 2 x Li Polymer Rechargeable Battery Packs	\$169	\$31

RECHARGEABLE INSPECTION BEAM

PURE BEAM FOCUS | FLOOD & SPOT



20m Beam

SAVE \$7

- 3 hour runtime
- Water Resistant IPX4



MICRO PLIERS 14 TOOLS | 1 LED TORCH

COALED130 (805060)

The LED130 is compact in size and has 14 tools, making it a great addition to anyone's keychain or pocket.

- Spring loaded pliers head with wire cutter
- Knife blade, saw blade, Phillips (1) and flathead (3) screwdriver tips, bottle opener, wire stripper, awl, file with nail, can-opener plus keyring (foldable)
- Sure-grip handle inlays
- 2 x CR927 batteries included

PRO POCKET PLIERS


13 TOOLS | 2 LED TORCHES

COALED150 (805061)

The LED150 comes packed with two LEDs and the tools that can help you master many smaller tasks and jobs.

- Spring loaded pliers head with wire cutter Scissors, Phillips (1), flathead (3) screwdriver tips, cap lifter, wire stripper, can opener
- Sure-grip handle inlays
- Semi-rigid sheath
- 2 x CR1616 batteries included





T会T Abbott & Ashby.





ATPED-HDK+ESTOP (805630)

- Suits most 6 & 8" bench grinders
- Push button allows for quick knee operation to stop the machine





ALUMINIUM OXIDE ABRASIVE BELT

AAPACK50/915-5 (500172)

- Belt Size: 50 x 915mm
- Pack of 5
- Suitable for Multitool 362
- · Suitable for most metals and timbers

EAF MOP


- Suitable for high gloss polishing
- Face Diameter: 25mm / 1"
- Bore: Tapered

Part Number	Item Code	Diameter	Price	Save
AAMOP150/1	500122	150mm / 6"	\$25	\$8
AAMOP200/1	500123	200mm / 8"	\$39	\$10

GREEN BUFFING COMPOUND AACOMGREENBL (500047)

- For a high gloss finish on copper, brass and stainless steel
- Use with a loose leaf calico mop

CHED MOP



Face Diameter: 25 mm / 1"

- Borc. rapered		4	other in	-
Part Number	Item Code	Diameter	Price	Save
AAMOPST150/1	500163	150mm / 6"	\$29	\$ 9
AAMOPST200/1	500165	200mm / 8"	\$39	\$10

GREY BUFFING COMPOUND AACOMGREYBL (500049)

- Marks on copper, brass, stain steel, etc. prior to polishing with the correct compound
- Use only with a stitched mop











SHARPENING JIG TOOL

POJIG (506944)

- Fits all Multitool models except 8CW
- For sharpening chisels up to 51mm
- Plane blades up to 60mm and power planer blades up to 82mm



MITRE TABLE ATTACHMENT

POMTA (506948)

- Fits all Multitool models
- Table can be tilted up 5 deg. & down 50 deg.
- Table size is 110 x 204mm.
- The accurate way to grind ends square an adjust lengths and angles.



Vacmaster



WET / DRY INDUSTRIAL VACUUMS





VMVK1650SWDC (509678) Tank Capacity: 50L Input Rating: 1600W Max Airflow: 65L/sec Hose length: 3.5m crush resistant Cord length: 7.5m Tank Drain: Plug Sync Function: 700W Max @ Vac



Tank Drain: Pour



Input Rating: 1300W

Maximum Airflow: 65 L/Sec

Hose length: 3m reinforced crush resistant

Cord length: 9m

Tank Drain: Plug

Sync Function: 1000W Max

cmaster

DIY WET / DRY VACUUM

20L Stainless steel tank

VMVQ1218S (511488) Input Rating: 1250W

Maximum Airflow: 58 L/Sec

Hose length: 1.5m

Cord length: 4m


Tank Drain: Pour







PERMASHAPE FINISHING TROWELS







PHILADELIPHIA STYLE TROWELS



	Part Number	Item Code	Size (mm)	Pattern	Features	Price	Save
N	MT19087	510804	305 x 152	Philadelphia		\$24	\$10
N	MT19088	510805	305 x 146	London	constructionSoft Grip handle	\$24	\$10
M	1T45/6DH	506476	152 x 70	Philadelphia	 Single piece high forged carbon steel Resilient DuraSoft handle with integral finger guard 	\$34	\$11

GAUGING TROWEL

MT48DH (506482)

- · Gauging Trowel
- Size mm: 178 x 86
- Single piece high forged carbon steel
- Resilient DuraSoft handle with integral finger guard



LONDON WIDE BRICK TROWEL

Trowel size mm: 305 x 146

BONUS BRICK TAPE

MT34/12FGXHB (805006) Kwikgauge Brick Tape

OR

MT34/12FGXH-WA-P (805158)

Kwikgauge WA Brick Tape

VALUED AT \$36

"THE HOG" MAGNESIUM **HAND FLOATS**

Part Number	Item Code	Size	Features	Price					
MT738D	506504	• 406 x 95mm	Durable, lightweight	\$72					
MT740D	506506	• 508 x 95mm	magnesiumSoft grip handle	\$82	i				

LITTLE MONSTER PRY BAR

MT14956 (804363)

- Size mm: 1168 (46")
- All steel construction
- Ideal for prying forms







ROUTERS & SANDERS



TRI-TRA001 (804900)

- Precision Plunge Router
- Dual mode
- Power: 2400W
- Speed: 8000 21,000rpm
- Soft start & variable speed



TRI-TA1200BS (804893)

- Belt Sander
- Power: 1200W
- No Load Speed: 200 450m/min
- Belt Size: 76 x 533mm
- Actual Sanding Area: 76 x 150mm
- Variable Speed: Yes
- Gear Casing: Aluminium
- Weight: 4.8kg



- Geared Eccentric Orbital Sander
- Dual mode with variable speed & consistent speed under load
- Powerful 500W motor
- 150mm / 6" diameter hook-and-loop backing pad & two sanding modes
- Speed: 2500 6250rpm

SUPERJAWS PORTABLE CLAMPING SYSTEM

TRI-SJA100E (805281)

- Height: 980mm
- Length: 880mm
- Width: 860mm
- Weight: 14.5kg
- Clamping Range: 0 955mm
- Clamping Force: Up to 1000kg
- Max Load: 200kg
- Standing Size: 980 x 880 x 860mm





MULTISTAND TRI-MSA200 (804907) Multipurpose support Extra-wide tripod base for excellent stability on level or uneven ground Low-friction slide surfaces provide smooth, controlled travel

without unwanted steering of the workpiece. Swivelling and tilting head

clamps pieces of wood for many applications in the workshop, home and on-site.

Adjustable height

TWX7 WORK CENTRE WITH **CLAMPING TABLE**

TRI-TWX7 (805405)

- Dimensions (Standing): 1036 x 737 x 900 mm
- Max Load Capacity: 150kg
- 10 Amp
- Power switch with quick stop panel



ROUTER TABLE MODULE KIT

TRI-TWX7RT001 (804685)

- Router Table Module
- Low-Friction micro dot work surface
- Horizontal & vertical featherboards



WAS \$690

WAS \$89

SAVE \$5

CONTRACTOR SAW ABLE MODULE KIT

TRI-TWX7CS001 (804686) **Contractor Saw Table Module**

- Power: 1800W
- No Load Speed: 4500rpm
- Blade Diameter: 254mm / 10"
- Bore Diameter: 30mm / 13/16"
- Blade Teeth: 40 TCT
- Bevel Range: 0° 45°



SAW TABLE MODULE KIT

WAS \$395

TRI-TWX7PS001 (804687)

- RPM: 9500 rpm
- Watts: 910 W
- Blade Diameter:
- 127 mm
- Blade Kerf: 2.2 mm
- Bore Diameter: 17 mm
 - Maximum Depth of Cut: 0-22mm









RUBBER DEADHEAD MALLET



EWDH-18N (502162)

- 18oz
- Bounce resistant
- Non-marring



HAMMERS

EWE6-22BLC 22oZ Brick Hammer Shock reduction grip

		Shock reduction grip				
Part Number	Item Code	Length (mm)	Price	Save		
EWE3-20C	502174	343	\$89	\$31		
EWE6-22BLC	502196	254	\$109	\$49		

EWE3-20C 22oZ Claw Hammer

NAIL PULLER



EWPC210G (502220)

- Length: 225mm
 - Pro-claw cushion grip
- Thin claw design





RAWHIDE COPPER HAMMER

Part Number	Item Code	Weight (g)	Face (mm)	Price	Save
TH210	508924	710	32	\$88	\$22
TH212	508925	1070	38	\$109	\$31
TH214	508926	1600	44	\$125	\$45
TH216	508927	2830	50	\$194	\$56

- Malleable Iron head fitted with one Rawhide and one Copper cylindrical face.
- Ideal where a heavy blow is required combined with a relatively small striking area
- Used as a multi purpose soft faced hammer in engineering and automotive for assembly, repair and maintenance.

SANDO EDGE HAMMER



Suitable for mining, building & construction, demolition

Part Number	Item Code		Handle Length (mm)	Price	Save
SDSLDG/4-24	507911	1.8	600	\$129	\$41
SDSLDG/8-30	507914	3.6		\$219	\$91
SDSLDG/10-30	507906	4.5	750	\$259	\$91
SDSLDG/14-30	507909	6.3		\$289	\$101

KWIKGAUGE ...

KGTBT20152 803827

TAPES



Block

\$19 \$17

FALCON CLUB HAMMER

MINITE

FLC1.8N (502336)

- 680g
- Nylon shaft
- Polyproylene handle
- Polyurethane bonded locking device
- Heavy duty suregrip



Korken



Z SERIES RAIL SOCKET SET



KORS2400MZ/12 (805285)

- 1/4" Drive
- 12 Piece Set on Magnetic Rail: 4, 4.5, 5, 5.5, 6, 7, 8, 10, 11, 12, 13, 14mm





KORS3400MZ/12 (805287)

- 3/8" Drive
- 12 Piece Set on Magnetic Rail: 7, 8, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm



RATCHET



Part Number	Item Code	Length	Drive	Price	Save
KO2725Z	805291	114mm	1/4"	\$70	\$10
KO3725Z	805293	178mm	3/8"	\$75	\$15

1/2" DRIVE IMPACT DRIVER SET

KOAN112A (505519)

- Knurled handle 6 piece
- Metal case: W190×H59×T45mm







WAD PUNCH KIT

- Comprises a single handle onto which screw a series of nine interchangeable punches
- Handle and punches are fully heat treated and chemically blacked

Part Number	Item Code	Set	Price	Save
MA1000/05	505987	Metric 5,6,8,10,12.5,16,20,25 & 32mm	\$155	\$45
MA1001/05	505990	Imperial 1/4, 5/16, 3/8, 7/16, 1/2, 5/8, 3/4, 7/8 and 1in	\$150	\$40





SAFETY RULE













RATCHET INSERT TOOLS

Part Number	Code	Size	inch	mm	Price	Save	
SW735/5 - 58250005	709086	5	3/8	9x12	¢170	¢61	
SW735/10 - 58250010	709082	10	1/2	9x12	φ1/9	φυι	



MECHANICAL TORQUE WRENCH

Part Number	Item Code	Size	Insert mm	N m	Price	Save
SW730N/2 4-20NM - 50181102	708887	2		2-20	\$738	\$82
SW730N/5 - 50181005	708889	5	9x12	10-50	\$792	\$88
SW730N/10P - 50181010	708884	10		20-100	\$837	\$93







- SV616SAE (508381) Pro orange 215mm
- Strong, lightweight, metal construction, ensures reliability
- Minimal wasted trigger action and increased working life
- Comfortable operation due to smooth, effortless action, contoured trigger and balanced design
- Dispenses 300ml cartridges

- Easily dispenses hard or difficult sealants, caulks and adhesives
- Dispenses 850ml cartridges





RATCHET **PODGER**

For tightening and loosening nuts and bolts. The spear is used to align the position of the bolts holes.



Part Number	Item Code	Size (mm)	Price	Save
SRRN3236	508274	32 x 36	\$102	\$18
SRRN2730	508270	27 x 30	\$109	\$21
SRRN1924R	508264	19 x 24	\$68	\$12
SRRN1618	508257	16 x 18	\$63	\$12
SRRN1317	508256	13 x 17	\$51	\$ 9



RAAC2/24

COMBINATION AUGER 6M SERIES



PUNCH Highest quality steel marking punches made from top quality controlled Sheffield chromium

tool steel and nickel plated Hardened and tempered to precise limits to give long life

and maximum safety.



THITASOSO						
Part Number	Item Code	Description	Size (mm)	Set	Price	Save
PRYPNS030	704331	Individual		10 Number Punches	\$44 ⁹⁰	\$310
PRYPAS030	704298	Set	3.0	27 Letter Punches	\$109	\$11
PRY112HC	703586	Interchangeable Set		Steel type fount sets with hand holder	\$1049	\$151

RAB2800/100/2.5



RAAC2.5/36

111 11 11 12 13, 50	PROPERTY OF THE PARTY OF		0 10 To F TA		1985 CN 1250	THE RESERVE OF THE PERSON NAMED IN
Part Number	Item Code	HP	Litres	L/min	Price	Save
RAAC2/24	507070	2	24	115	\$229	\$71
RAAC2.5/36	507069	2.5	36	134	\$299	\$151

BELT DRIVE COMPRESSORS

RAB2800/100/2.5 (804503)

High performance, 175 litres per minute, twin outlets, 2.5HP, 100L





ROLLER CABINETS WHI491BP (710742) WHI880BP (710760) 7 drawer roll cabinet LONGREACH With lockable drop front 13 drawer roller cabinet 1420W X 610D X 1010H (mm) Heavy duty PU castors 685W x 460D x 910H (mm) Net Weight: 173kg Includes top mat and liners Gross Weight: 73.9 kg 100% Drawer access Weight: 70.6 kg 20" Ball bearing slides WAS \$2800 Snap lock drawers WAS \$1100 16" ball bearing slides **SAVE \$801 SAVE \$251**



Drawer liners